
Virginia Department of Medical Assistance Services

Companion Guide

For 837 Professional Health Care Claim & Encounter Transactions

Version 1.12 Updated 05/24/2010



ASC X12N 837 VERSION 004010 X098A1

CONTACT INFORMATON

Mail Original to: ACS State Healthcare, LLC

EDI Coordinator

Virginia Medicaid Fiscal Agent Services 1011 Boulder Springs Drive, Suite 350

Richmond, VA 23225

1-866-352-0766

Fax to: 1-888-335-8460

Email to: Virginia.EDISupport@acs-inc.com



ASC X12N 837 VERSION 004010 X098A1

Page 2 of 16 05/24/2010

VERSION CHANGE SUMMARY

| VERSION NO. | DESCRIPTION | DATE |
|-------------------|---|------------|
| Version 1.0 – 1.1 | - Original Implementation | 12/05/2002 |
| Version 1.2 - Ad | Ided Page reference 220 | 03/01/2004 |
| version 1.2 - Au | Loop 2300 - AMT02 | 03/01/2004 |
| | Removed Page reference 335 | |
| | Loop 2320 - AMT02 | |
| Version 1.3 - | Changed Page reference 173 | 04/21/2004 |
| Version 1.5 - | Loop 2300 - CLM05-3 | 04/21/2004 |
| | Changed Page reference 289 | |
| | Loop 2310A - REF02 | |
| Version 1.4 - | Added comments for providers submitting | 07/20/2004 |
| VEISIOII 1.4 - | Medicare coinsurance & deductible claims | 07/20/2004 |
| | Changed Page reference 92 | |
| | Loop 2010AA - REF02 | |
| | Added Page reference 321 | |
| | Loop 2320 - SBR09 | |
| | Changed Page reference 323 | |
| | Loop 2320 - CAS02 | |
| | • | |
| | Added Page reference 334 | |
| | Loop 2320 - AMT02 | |
| | Added Page reference 352 | |
| | Loop 2330A - NM109 | |
| | Added Page reference 361 | |
| | Loop 2330B - NM109 | |
| | Added Page reference 402 | |
| | Loop 2400 - SV102 | |
| | Added Page reference 485 | |
| | Loop 2400 - AMT02 | |
| | Changed Page reference 558 | |
| X7 ' 1.5 | Loop 2430 - CAS02 | 00/10/2005 |
| Version 1.5 - | Modified comments (page reference 75) | 08/19/2005 |
| ** | Loop 1000B - NM103 Name Last or Orga | |
| Version 1.6 - | Modified comments (page reference 323) | 05/19/2006 |
| | Loop 2320 - CAS02 Claim Adjustment Re | eason Code |
| | Modified comments (page reference 361) | |
| | Loop 2330B - NM109 Identification Code | ; |
| | Modified comments (page reference 555) | |
| | Loop 2430 - SVD01 Identification Code | |
| | Modified comments (page reference 566) | G 1 |
| | Loop 2430 - CAS02 Claim Adjustment Reas | son Code |



ASC X12N 837 VERSION 004010 X098A1

Page 3 of 16

| VERSION NO. DESCRIPTION | DATE |
|--|----------------------------------|
| Version 1.7 - NPI modifications | 12/01/2006 |
| Loop 2000A - PRV03 Provider Taxonomy Code (page re | eference 80) |
| Loop 2010AA - NM108 Billing Provider Identification Co | ode (page reference 86) |
| Loop 2010AA - N403 Billing Provider's Zip Code (page | reference 90) |
| Loop 2010AA - REF01 Identification Qualifier (page refe | erence 92) |
| Loop 2010AA - REF02 Identification Code (page referen | nce 92) |
| Loop 2310A - NM108 Referring Identification Code Qual | lifier (page reference 284) |
| Loop 2310A - REF01 Referring Identification Qualifier () | |
| Loop 2310A - REF02 Referring Identification Code (page | · |
| Loop 2310B - NM108 Rendering Provider Identification (| • |
| Loop 2310B - PRV03 Provider Taxonomy Code (page re | eference 294) |
| Loop 2310B - REF01 Rendering Identification Qualifier (| • |
| Loop 2310B - REF02 Rendering Identification Code (pag | • |
| Loop 2310D - N403 Service Facility Zip Code (page refe | |
| Loop 2420A - NM108 Rendering Provider Identification | |
| Loop 2420A - PRV03 Provider Taxonomy Code (page re | |
| Loop 2420A - REF01 Rendering Identification Qualifier (| • |
| Loop 2420A - REF02 Rendering Identification Code (page | |
| Loop 2420C - N403 Service Facility Zip Code (page refe | |
| Loop 2420F - NM108 Referring Provider Identification C | • • |
| Loop 2420F - REF01 Referring Identification Qualifier (p | - |
| Loop 2420F - REF02 Referring Identification Code (page | * |
| Version 1.8 - | 02/23/2007 |
| NDC Modifications | 401 |
| Loop 2400 - SV101-1 Product or Service ID Qualifier (page 2410 - LN103 Product or Service ID Qualifier (page | |
| Loop 2410 - LIN02 Product or Service ID Qualifier (page 15 page 2410 - LIN03 National Drug Code (page 16 pag | • |
| Loop 2410 - LIN03 National Drug Code (page reference | e /3A) |
| Removed notes and modified comments for Tax ID/SSN | lifier (nego peference 204) |
| Loop 2310A - NM108 Referring Identification Code Qua | • • |
| Loop 2310A - REF01 Referring Identification Qualifier (Loop 2310A - REF02 Referring Identification Code (page | |
| Loop 2310B - NM108 Rendering Provider Identification Code (page | · · |
| Loop 2310B - NMT08 Rendering Frovider Identification C Loop 2310B - REF01 Rendering Identification Qualifier (| • • |
| Loop 2310B - REF01 Rendering Identification Quantier (Loop 2310B - REF02 Rendering Identification Code (pag | • |
| Loop 2420A - NM108 Rendering Provider Identification | |
| Loop 2420A - REF01 Rendering Identification Qualifier (| • |
| Loop 2420A - REF01 Rendering Identification Quantier (Loop 2420A - REF02 Rendering Identification Code (page) | |
| Loop 2420A - NET 02 Relidering Identification Code (page Loop 2420F - NM108 Referring Provider Identification C | • |
| Loop 2420F - REF01 Referring Identification Qualifier (p | <u> </u> |
| Loop 2420F - REF02 Referring Identification Code (page | |
| Loop 24201 - KEI 02 Referring Identification Code (page | Tereferice stoj |



ASC X12N 837 VERSION 004010 X098A1

Page 4 of 16

| VERSION NO. DESCRIPTION | DATE |
|---|---------------------------------------|
| Version 1.9 - Modifications for Contingency Dual Use | 06/06/2007 |
| Modified Special Notes, numbers 5, 6, 7, 8 and 9 | |
| Loop 2010AA - REF01 Identification Qualifier (page re | eference 92) |
| Loop 2310A - REF02 Referring Identification Code (page | ge reference 289) |
| Loop 2310B - REF02 Rendering Identification Code (pa | |
| Loop 2420A - REF02 Rendering Identification Code (pa | |
| Loop 2420F - REF01 Referring Identification Qualifier (| |
| Version 1.10 - Zip Code Modifications | 10/01/2007 |
| Loop 2010AA - N403 Billing Provider's Zip Code (pag | · · · · · · · · · · · · · · · · · · · |
| Loop 2310D - N403 Service Facility Zip Code (page ref | |
| Loop 2420C - N403 Service Facility Zip Code (page ref | |
| Version 1.11 | 04/01/2008 |
| Modifications for NPI and API usage | |
| Modified Special Notes – deleted notes 5 & 6; modified | ed notes 7, 8, & 9- notes |
| renumbered | |
| Removed blue highlighting from previous changes | |
| Loop 2010AA - NM108 Billing Provider Identificatio | on Code (page reference 86) |
| Loop 2010AA - REF01 Billing Identification Qualifie | er (page reference 92) |
| Loop 2010AA - REF02 Identification Code(page refe | erence 92) |
| Loop 2310A - NM108 Billing Provider Identification | Code (page reference 284) |
| Loop 2310A - REF01 Referring Identification Qualifi | er (page reference 288) |
| Loop 2310A - REF02 Referring Identification Code (| page reference 289) |
| Loop 2310B - NM108 Billing Provider Identification | Code (page reference 292) |
| Loop 2310B - REF01 Rendering Identification Qualif | ier (page reference 296) |
| Loop 2310B - REF02 Rendering Identification Code (| (page reference 297) |
| Loop 2420A - NM108 Billing Provider Identification | |
| Loop 2420A - REF01 Rendering Identification Qualif | |
| Loop 2420A - REF02 Rendering Identification Code (| (page reference 508) |
| Loop 2420F - NM108 Billing Provider Identification | • |
| Loop 2420F - REF01 Referring Identification Qualifie | • • |
| Loop 2420F - REF02 Referring Identification Code (g | • |
| Modifications for NDC | , |
| Loop 2410 - LIN02 Drug Identification (page reference | 73 Addenda) |
| Loop 2410 - LIN03 Drug Identification (page reference | |
| Loop 2410 – CTP03 Drug Pricing (page reference 75 A | |
| Loop 2410 – CTP04 Drug Pricing (page reference 75 A | |
| Loop 2410 – CTP05 Drug Pricing (page reference 75 A | |
| Version 1.12 - ACS VAMMIS Fiscal Agent Implementa | tion Change 05/24/2010 |



ASC X12N 837 VERSION 004010 X098A1

Page 5 of 16

05/24/2010

INTRODUCTION

The Health Insurance Portability and Accountability Act (HIPAA) requires that Medicaid, and all other health insurance payers in the United States, comply with the EDI standards for health care as established by the Secretary of Health and Human Services. The ANSI X12N implementation guides have been established as the standards of compliance for claim transactions.

The following information is intended to serve only as a companion guide to the HIPAA ANSI X12N implementation guides. The use of this guide is solely for the purpose of clarification. The information describes specific requirements to be used for processing data. This companion guide supplements, but does not contradict any requirements in the X12N implementation guide. Additional companion guides/trading partner agreements will be developed for use with other HIPAA standards, as they become available.

Additional information on the Final Rule for Standards for Electronic Transactions can be found at http://aspe.hhs.gov/admnsimp/final/txfin00.htm. The HIPAA Implementation Guides can be accessed at http://www.wpc-edi.com/hipaa/HIPAA_40.asp.

PURPOSE

This guide is concerned with the processing of batch requests and responses submitted to Affiliated Computer Services, Inc. (ACS) as the Fiscal Agent and information source for Virginia Medicaid. ACS adheres to all HIPAA standards and this guide contains clarifications and requirements that are specific to transactions and data elements contained in various segments.

- For providers with a FFS agreement to submit claims for payment.
- For HMOs with a capitated agreement to submit encounters for reporting purposes.

SPECIAL NOTES

- 1. 837 Claims or Encounters may be sent at anytime 24 hours a day, 7 days a week, however...
 - A) Fee-for-service Claims submitted by mid-afternoon will be processed in the current daily cycle. Claims submitted after 1 PM EST on Fridays will not be included in the current week's remittance cycle.
 - B) Encounters should be submitted prior to noon on their scheduled submission date.
- 2. The 997 Response will normally be available for pickup 1 hour after file submission unless there are unforeseen technical difficulties.



ASC X12N 837 VERSION 004010 X098A1

Page 6 of 16

05/24/2010

- 3. Claim and Encounters should be submitted in separate ISA-IEA envelopes.
- 4. All references to Medicaid are used for simplicity, but other programs supported by DMAS are also included, such as FAMIS, SLH, and TDO.
- 5. As of May 23, 2008 only the NPI will be accepted and used to adjudicate healthcare claims. All claims received as of that date will be processed using the NPI or Atypical Provider Identifier (API). The compliance is based on the date of receipt and not the date of service.
- 6. Non-healthcare providers that are not eligible to obtain an NPI will receive a new 10-digit Virginia Medicaid Atypical Provider ID (API). Beginning May 23, 2008the API must be used in place of the Legacy ID.
- 7. Medicare coinsurance and deductible claims must be submitted using the NPI.
- 8. ACS uses the MOVEit® DMZ application to transmit batch EDI data into the Virginia Medicaid system. All Service Centers must have applied and been authorized by the Virginia EDI Coordinators office before using MOVEit® DMZ.

> How to use MOVEit® DMZ Application tool for secure file Drop off and Pick up

MOVEit® DMZ is a secure file transfer and secure message server. It is a vital component of the MOVEit® family of secure file processing, storage, and transfer products developed by Ipswitch, Inc. Additional help on using MOVEit® DMZ can be located at web page: https://grabit.acs-shc.com/doc/en/help.htm

These products provide comprehensive, integrated, standards-based solutions for secure handling of sensitive information, including financial files, medical records, legal documents, and personal data.

Providers or Service Centers can elect to pick up or drop off your EDI files (batches) for the batch staging queue. This requires a User Id and Password be allocated by the EDI Coordinators office. You can use either of the following methods to access MOVEit® DMZ:

- a. A Web browser can be used to obtain access to the MOVEit® DMZ repository at web site http://grabit.acs-shc.com.
- b. Using an SFTP Client application referencing the URL grabit.acs-shc.com.

Note: If you have trouble connecting with the URL grabit.acs-shc.com, you should talk with your technical staff about using the DOS command "nslookup" to get the



| 837 Professional Health Care Claim & Encounter | Page 7 of 16 |
|--|--------------|
| Transactions | |
| ASC X12N 837 VERSION 004010 X098A1 | 05/24/2010 |

<u>grabit.acs-shc.com</u> IP Address and drop this value into your URL to connect to MOVEit® DMZ.

Next you will have to make sure and use the correct port depending on the protocol your company uses. The following table will help identify the port required based on the protocol being used by your company.

| IF | THEN |
|-------------------------|---------------------|
| SFTP over SSH | use port 22 |
| SFTP over TLS-P* | use ports 21 and 20 |
| SFTP over TLS-Implicit* | use port 990 |
| SFTP over SSL | use port 443 |

^{*}NOTE: Both TLS options will use ports 3000 to 3008, but their firewalls should automatically allow this if the initial connections are made to the ports specified above.



ASC X12N 837 VERSION 004010 X098A1

Page 8 of 16

05/24/2010

Data Element Descriptions

| Page | Loop | Segment | Data Element | Comments |
|------|--------------|---------|------------------------|---|
| B.3 | N/A | ISA | ISA01 - Authorization | Use "00" - No Authorization |
| | | | Information Qualifier | Information Present |
| B.3 | N/A | ISA | ISA03 - Security | Use "00" - No Security Information |
| | | | Information Qualifier | Present |
| B.3 | N/A | ISA | ISA05 - Interchange ID | Use "ZZ" - Mutually defined |
| | | | Qualifier | |
| B.3 | N/A | ISA | ISA06 - Interchange | Use 4-character service center ID |
| | | | Sender ID | assigned by Virginia Medicaid. |
| B.3 | N/A | ISA | ISA08 - Interchange | Use "VMAP FHSC FA" |
| | | | Receiver ID | |
| B.3 | N/A | ISA | ISA14 - Acknowledgment | Use "0" - No Acknowledgement |
| | | | Requested | Requested |
| | | | | |
| B.3 | N/A | GS | GS02 - Application | Use 4-character service center ID |
| | | | Sender's Code | assigned by Virginia Medicaid. |
| B.3 | N/A | GS | GS03 - Application | Use 'VMAP FHSC FA' |
| | | | Receiver's Code | |
| B.3 | N/A | GS | GS08 - Version/Release | Use "004010X098A1". |
| | | | Industry ID Code | |
| | | | | |
| 66 | N/A | REF | REF02- | Use "004010X098A1". |
| | | | Transmission Type Code | |
| | | | | |
| 69 | 1000A- | NM1 | NM109-Submitter | Use 4-character service center ID |
| | Submitter | | Primary Identifier | assigned by Virginia Medicaid. |
| | Name | | | |
| 75 | 1000B- | NM1 | NM103-Name Last or | Use "Dept of Med Assist Svcs" |
| | Receiver | | Organization Name | |
| | Name | | | |
| | | | | |
| 80 | 2000A- | PRV | PRV03-Provider | DMAS requires taxonomy codes on |
| | Billing/Pay- | | Taxonomy Code | claims when the provider has not |
| | To Provider | | | enumerated with separate NPIs based on |
| | | | | the type of service being provided. |
| | | | | Taxonomy codes do not need to be sent |
| | | | | with an API. |
| | | | | |
| 86 | 2010AA- | NM1 | NM108- | 24- Employer's Identification Number |
| | Billing | | Identification Code | 34- Social Security Number |
| | Provider | | Qualifier | XX- NPI |
| | Name | | | |
| | | | | If XX-NPI is used, then either the |
| | | | | Employer's Identification Number or |
| | | | | the SSN of the provider must be carried |
| ı | | | | in the REF segment in this loop. |



ASC X12N 837 VERSION 004010 X098A1

05/24/2010

Page 9 of 16

| Page | Loop | Segment | Data Element | Comments |
|------|--|---------|--|---|
| 90 | 2010AA- Billing Provider Name | N4 | N403-Billing Provider's Zip Code | The billing provider zip code (along with the address information in the 2010AA N3 segment) is required and may be used for pricing. Providers are required to submit the 9-digit zip code when available. |
| | | | | |
| 92 | 2010AA- Billing Provider Name | REF | REF01-Reference Identification Qualifier | Medicaid will pay the billing provider and not the Pay-to-provider (loop 2010AB). |
| | | | | 1D-Medicaid Provider Number EI-Employer's Identification Number SY-Social Security Number |
| | | | | EI or SY must be used when the 10-digit NPI is sent in the Billing Provider Name segment of this loop. |
| | | | | When the API is sent, use the 1D qualifier. |
| 92 | 2010AA- Billing Provider Name | REF | REF02-Billing Provider Secondary Identification Number | Beginning 05/23/08, only the 10-digit API should be submitted using the 1D qualifier. |
| | Name | | | When sending the EI qualifier, use the Employer Identification Number. |
| | | | | When sending the SY qualifier, use the SSN. |
| | | | | |
| 119 | 2010BA- Subscriber Name | NM1 | NM108-Identification Code Qualifier | Use "MI". |
| 119 | 2010BA- Subscriber Name | NM1 | NM109-Subscriber Primary Identifier | Use the patient's 12-digit enrollee ID number assigned by Virginia Medicaid. |
| 171 | 2300-Claim Information | CLM | CLM01-Claim Submitter's ID | For Encounters, this should be the HMO's claim number. |
| 173 | 2300-Claim Information | CLM | CLM05-3 Claim Frequency Code | Use "1" for original claim. Use "7" for replacement. Use "8" for void. NOTE: FFS Replacements/Voids should be submitted one service line per claim. Encounter Replacements/Voids should be submitted with all service lines of a claim in the same order as they were originally submitted. |



Page 10 of 16

ASC X12N 837 VERSION 004010 X098A1

| Page | Loop | Segment | Data Element | Comments |
|------|--------------------------------|---|--|--|
| 216 | 2300 - Claim Information | PWK | PWK06– Attachment Control Number | Use if PWK02 = "BM", "EL", "EM", or "FX" The Attachment Control Number is a |
| | | | | composite of three specific fields and can be up to 33 positions with no embedded spaces or special characters (i.e., slashes, dashes, etc.): |
| | | | | The first field is the Patient Account Number (Provider assigned) and can be a maximum of 20 positions. |
| | | | | The second field is the From Date Of Service (DOS) associated with the first line on the claim - MDDCCYY. |
| | | | | The third field is a sequential number (5 positions, numeric) established/incremented by the Provider for every electronic claim submitted. The sequence # is right justified, zero filled. |
| | | | | The Attachment Control Number should be the same for every attachment associated with a specific claim. |
| 217 | 2300 - Claim Information | CN1 | CN101-Contract Type Code | Required for Encounters. |
| 220 | 2300-Claim Information | AMT-Patient Amount Paid | AMT02-Patient Amount Paid | Use for submitting an amount the patient paid towards the claim. This amount will be applied to the first line on the claim. |
| 228 | 2300 - Claim Information | REF-Prior Authorization or Referral # | REF01-Reference ID Qualifier | Use "G1" when submitting a prior authorization number. Use "9F" when submitting a referral #. |
| 228 | 2300 - Claim Information | REF-Prior Authorization or Referral # | REF02-Prior Authorization or Referral Number | Use 11-character number assigned by Virginia Medicaid. |
| 230 | 2300 - Claim Information | REF-Orig Ref Number | REF01-Reference ID Qualifier | Use "F8" when submitting a claim replacement or void/cancel (as indicated by CLM05-3). |
| 230 | 2300 - Claim Information | REF-Orig Ref Number | REF02-Claim Original Reference Number | For FFS claims, use the 16-character Reference Number assigned by Virginia Medicaid. |
| | | | | For encounters, use the HMO's original claim number (up to 20-characters). |



ASC X12N 837 VERSION 004010 X098A1

05/24/2010

Page 11 of 16

| Page | Loop | Segment | Data Element | Comments |
|------|---|---------|---|--|
| 247 | 2300 - Claim Information | NTE | NTE01- Note Reference Code | For transportation claims-Use "ADD" |
| 247 | 2300 - Claim Information | NTE | NTE02-Claim Note Text | Provide free-text remarks, if needed. For transportation claims- Virginia Medicaid will use the first 4 positions to indicate Number of Passengers (numeric, right justified, zero filled). |
| 284 | 2310A- Referring Provider Name | NM1 | NM108-Identification Code Qualifier | 24- Employer's Identification Number 34- Social Security Number XX- NPI If XX-NPI is used, then either the Employer's Identification Number or |
| 284 | 2310A- Referring Provider Name | NM1 | NM109-Referring Provider Identifier | the SSN of the provider must be carried in the REF segment in this loop. For services to Medallion enrollees that are not provided by the PCP, submit the Referring Provider's NPI in this field. |
| 288 | 2310A- Referring Provider Name | REF | REF01-Reference Identification Qualifier | 1D- Medicaid Provider Number EI- Employer's Identification Number SY- Social Security Number EI or SY must be used when the 10-digit NPI is sent in the Billing Provider Name segment of this loop. |
| 289 | 2310A- Referring Provider | REF | REF02-Referring Provider Secondary Identifier | When the API is sent, use the 1D qualifier. Beginning 05/23/08, only the 10-digit API should be submitted using the 1D qualifier. |
| | Name | | | For services to Medallion enrollees that are not provided by the PCP, submit the Referring Provider's 10-digit API assigned by Virginia Medicaid in this field. |
| 292 | 2310B- Rendering Provider Name | NM1 | NM108-Identification Code Qualifier | 24- Employer's Identification Number 34- Social Security Number XX- NPI If XX-NPI is used, then either the Employer's Identification Number or the SSN of the provider must be carried in the REF segment in this loop. |



Page 12 of 16

ASC X12N 837 VERSION 004010 X098A1

| Page | Loop | Segment | Data Element | Comments |
|------|--|---------|--|--|
| 294 | 2310B- Rendering Provider Name | PRV | PRV03-Provider Taxonomy Code | DMAS requires taxonomy codes on claims when the provider has not enumerated with separate NPIs based on the type of service being provided. Taxonomy codes do not need to be sent with an API. |
| 296 | 2310B- Rendering Provider Name | REF | REF01-Reference Identification Qualifier | 1D- Medicaid Provider Number EI- Employer's Identification Number SY- Social Security Number EI or SY must be used when the 10-digit NPI is sent in the Billing Provider Name segment of this loop. When the API is sent, use the 1D qualifier. |
| 297 | 2310B- Rendering Provider Name | REF | REF02-Billing Provider Secondary Identifier | Beginning 05/23/08, only the 10-digit API should be submitted using the 1D qualifier. When sending the EI qualifier, use the Employer Identification Number. When sending the SY qualifier, use the SSN. |
| | | | | 5514. |
| 309 | 2310D- Service Facility Location | N4 | N403-Laboratory or Facility Zip code | The Service Facility zip code (along with the address information in the 2310D N3 segment) is required when the place of service is different than the billing zip code in 2010AA, N403. This information may be used for pricing. Providers are required to submit the 9-digit zip code when available. |
| 210 | 2220 | GDD | | 76.1 |
| 318 | 2320 - Other Subscriber Information | SBR | | If the patient has Medicare or other coverage, repeat this loop for each other payer. Do not put information about Virginia Medicaid coverage in this loop. For MCO submitted Encounters, one iteration of this loop should be used to represent the MCO coverage and payment. The MCO payer loop is identified by 1000A NM109 = 2330B NM109). |



Page 13 of 16

ASC X12N 837 VERSION 004010 X098A1

| Page | Loop | Segment | Data Element | Comments |
|-------|---|-----------------------------------|----------------------------------|--|
| 321 | 2320-Other | SBR | SBR09-Claim Filing | For providers submitting Medicare |
| 321 | Subscriber | SDK | Indicator Code | coinsurance & deductible claims – |
| | Information | | indicator Code | |
| | | | | Use "MB" to indicate a Medicare payer |
| 323 | 2320-Other | CAS | CAS02-Claim Adjustment | MCOs no longer use 2320 CAS to |
| | Subscriber | | Reason Code | define claim adjustment reason code; |
| | Information | | | Use 2430 CAS for providers submitting Medicare coinsurance & deductible claims – |
| | | | | Use "1" for Deductible amounts Use "2" for Coinsurance amounts. |
| 332 | 2320 - Other Subscriber Information | AMT - COB Payer Paid Amount | AMT02 - Payer Paid Amount | All prior payments should be reported to Virginia Medicaid using this segment for the appropriate payer. |
| 334 | 2320-Other Subscriber Information | AMT-COB Allowed Amount | AMT02-Allowed Amount | For providers submitting Medicare coinsurance & deductible claims - Submit the Medicare allowed amount for the Total claim. |
| 2.7.2 | 22204 0 1 | 373.64 | N 1100 0 1 1 1 | |
| 352 | 2330A-Other Subscriber Name | NM1 | NM109-Other Insured Identifier | For providers submitting Medicare coinsurance & deductible claims – Use the Medicare ID for the enrollee. |
| | | | | |
| 361 | 2330B-Other Payer Name | NM1 | NM109-Other Payer Primary ID# | For providers submitting Medicare coinsurance & deductible claims - NM109 in 2330B should match the value you are submitting in SVD01 in 2430. |
| | | | | For MCO submitted Encounters, use 4-character service center ID assigned by Virginia Medicaid. |
| 401 | 2400 5 | CVII | G7/101 1 P 1 | H. WICH HODGE C. I |
| 401 | 2400-Service | SV1 | SV101-1 - Product or | Use "HC" - HCPCS Codes |
| | Line | | Service ID Qualifier | NDG III II |
| | | | | NDCs will not be processed in this |
| | | | | segment, however an NDC must |
| | | | | be sent in the LIN segment to |
| | | | | supplement a drug HCPCS code (see |
| | | | | instructions for 2410 - Drug |
| 102 | 2400 5 : | CTI | GILLOG I | Identification). |
| 402 | 2400-Service Line | SV1 | SV102-Line Item Charge Amount | For providers submitting Medicare coinsurance & deductible claims – Submit the line charge amount billed to Medicare. |
| 466 | 2400 – | CN1 | CN101 - Contract Type | For Non-Medicaid HMO Copay billing, |
| | Service Line | | Code | use "04". |
| | | | | |



Page 14 of 16

ASC X12N 837 VERSION 004010 X098A1

| Loop | Segment | Data Element | Comments |
|--------------------------------------|--|---|---|
| 2400-Service Line | CN1 | CN102-Contract Amount | For Non-Medicaid HMO Copay billing, this should be the Copay amount. |
| 2400 –Service Line | AMT- Approved Amount | AMT02-Approved Amount | For providers submitting Medicare coinsurance & deductible claims – Submit the Line item amount approved (allowed) by Medicare. |
| 2400 - Service Line | NTE | NTE01- Note Reference Code | For transportation claims - Use "ADD" |
| 2400 - Service Line | NTE | NTE02-Line Note Text | Use if different than reported at the Claim Level (Loop 2300). Provide free-text remarks, if needed. For transportation claims - Virginia Medicaid will use the first 4 positions |
| | | | to indicate Number of Passengers (numeric, right justified, zero filled). |
| 2410 D | TDI | I D102 D 1 | II (AIAN C. AID C |
| | LIN | | Use "N4" for NDC. |
| | LIN | | An NDC is required when a drug is |
| Identification | Liiv | Code | dispensed. |
| | | | Virginia Medicaid will capture only the first occurrence of the LIN segment for each service line. If billing for a compound medication with more than one NDC, then each applicable NDC must be sent as a separate revenue line. |
| 2410-Drug Identification | СТР | CTP03-Drug Unit Price | This value is required for this segment to be complete, but Virginia Medicaid will not use this value in pricing. A zero dollar amount is acceptable. |
| 2410-Drug Identification | CTP | CTP04-Quantity | Input the actual NDC quantity dispensed. |
| 2410-Drug Identification | СТР | CTP05-Composite Unit of Measure | Input the unit/basis of measure |
| | | | |
| 2420A- Rendering Provider Name | NM1 | NM108-Identification Code Qualifier | 24- Employer's Identification Number 34- Social Security Number XX- NPI If XX-NPI is used, then either the Employer's Identification Number or the SSN of the provider must be carried in the REF segment in this |
| | 2400 - Service Line 2400 - Service Line 2400 - Service Line 2400 - Service Line 2410-Drug Identification 2410-Drug Identification 2410-Drug Identification 2410-Drug Identification 2410-Drug Identification | 2400-Service Line AMT- Approved Amount 2400 - Service Line NTE 2400 - Service Line 2400 - Service NTE Line 2410-Drug Identification 2410-Drug Identification | 2400-Service LineCN1CN102-Contract Amount2400 - Service LineAMT- Approved AmountAMT02-Approved Amount2400 - Service LineNTENTE01- Note Reference Code2400 - Service LineNTENTE02-Line Note Text2410-Drug IdentificationLINLIN02-Product or Service ID Qualifier2410-Drug IdentificationLINLIN03-National Drug Code2410-Drug IdentificationCTPCTP03-Drug Unit Price2410-Drug IdentificationCTPCTP04-Quantity2410-Drug IdentificationCTPCTP05-Composite Unit of Measure2420A- RenderingNM1NM108-Identification Code Qualifier |



ASC X12N 837 VERSION 004010 X098A1

Page 15 of 16

| Page | Loop | Segment | Data Element | Comments |
|------|---------------------------------------|---------|--|---|
| 505 | 2420A- Rendering Provider Name | PRV | PRV03-Provider Taxonomy Code | DMAS requires taxonomy codes on claims when the provider has not enumerated with separate NPIs based on the type of service being provided. Taxonomy codes do not need to be sent with an API. |
| 507 | 2420A- Rendering Provider Name | REF | REF01-Reference Identification Qualifier | 1D- Medicaid Provider Number EI- Employer's Identification Number SY- Social Security Number EI or SY must be used when the 10- digit NPI is sent in the Billing Provider Name segment of this loop. When the API is sent, use the 1D qualifier. |
| 508 | 2420A- Rendering Provider Name | REF | REF02-Billing Provider Secondary Identifier | Beginning 05/23/08, only the 10-digit API should be submitted using the 1D qualifier. When sending the EI qualifier, use the Employer Identification Number. When sending the SY qualifier, use the SSN. |
| | | | | 3311. |
| 520 | 2420C-Service Facility Location | N4 | N403-Service Facility Location Zip code | The Service Facility zip code (along with the address information in the 2420C N3 segment) is required when the place of service is different than the billing zip code in 2010AA, N403 or 2310D, N403. This information may be used for pricing. Providers are required to submit the 9-digit zip code when available. |
| 543 | 2420F- Referring Provider Name | NM1 | NM108-Identification Code Qualifier | 24- Employer's Identification Number 34- Social Security Number XX- NPI If XX-NPI is used, then either the Employer's Identification Number or the SSN of the provider must be carried in the REF segment in this loop. |



Page 16 of 16

ASC X12N 837 VERSION 004010 X098A1

| Page | Loop | Segment | Data Element | Comments |
|------|--|---------|--|--|
| 548 | 2420F- Referring Provider Name | REF | REF01-Reference Identification Qualifier | 1D-Medicaid Provider Number EI-Employer's Identification Number SY-Social Security Number EI or SY must be used when the 10- digit NPI is sent in the Billing Provider Name segment of this loop. When the API is sent, use the 1D |
| 548 | 2420F- Referring Provider Name | REF | REF02-Billing Provider Secondary Identifier | qualifier. Beginning 05/23/08, only the 10-digit API should be submitted using the 1D qualifier. When sending the EI qualifier, use the Employer Identification Number. When sending the SY qualifier, use the SSN. |
| | | | | |
| 555 | 2430-Line Adjudication Information | SVD | SVD01-Identification Code | For MCO submitted Encounters, use SVD02 to report the service line paid amount. SVD01 should indicate the MCO payer ID submitted in 2330B NM109 (MCO Other payer loop). |
| 558 | 2430-Line Adjudication Information | CAS | CAS02-Claim Adjustment Reason Code | For MCO submitted Encounters, use CAS02 Claim Adjustment Reason Code (code source 139) to indicate the denial or payment reduction reason. For providers submitting Medicare coinsurance & deductible claims – Use "1" for Deductible amounts Use "2" for Coinsurance amounts |
| 566 | 2430 | DTP | DTP03-Date Claim Adjudicated | For MCO submitted Encounters, use DTP03 to report the service line adjudication date. |